




# HELIDECK INFORMATION PLATE

HELIDECK Elev <b>217 ft</b>	VAR <b>0</b>	POSITION <b>N58 03.47 E001 04.78</b>	EGAG <b>Alba Northern</b>		
HEIGHT OF INSTALLATION: <b>381</b>		VHF <b>Traf 123.555</b>		NDB <b>340 ARN</b>	Issue Date <b>27 May 2022</b>
HIGHEST OBSTACLE WITHIN 5NM: <b>Top of Rig</b>		Log <b>126.405</b>			
FUELLING INSTALLATION: <b>Yes</b>		Operating Company		Issued By	
STARTING EQUIPMENT: <b>Yes</b>		<b>Ithaca Energy</b>		<b>Helideck Certification Agency</b>	
HELIDECK D value: <b>22.8</b>					
P/R/H Category: <b>F</b>					
Max Weight: <b>15.0t</b>					
Circle & H Lights: <b>Yes</b>					



Wind (T°)	Kts	Limitation /Comment
<ul style="list-style-type: none"> <li>• 350-030</li> <li>• 350-030</li> <li>• 350-030</li> </ul>	<ul style="list-style-type: none"> <li>• 0-24</li> <li>• 25-34</li> <li>• 35 plus</li> </ul>	Platform <ul style="list-style-type: none"> <li>• No restriction</li> <li>• Table 2</li> <li>• No landings</li> <li>• Table 1(T) if overflight of South West foam monitor platform unavoidable</li> </ul>
		<b>Non Compliance</b>
	150°	Refuelling hose guide and barrier adjacent to refuelling cabinet marginally over height.
	5:1	SW foam monitor platform.
	Misc	Windssock indication may be affected by derrick. Second windssock fitted on west side of derrick.