

# HELIDECK INFORMATION PLATE

**MSV**
**Normand Samson**
**XFSM**
**GENERAL INFORMATION:**

<b>OPERATOR</b>	<b>HIP ISSUE DATE</b>	<b>HLAC EXPIRY DATE</b>
Solstad Offshore	21 Apr 2025	24 Feb 2026
<b>HELIDECK ELEVATION</b>	<b>INSTALATION HEIGHT</b>	<b>POSITION</b>
65ft	137ft	Check
<b>MAX WEIGHT</b>	<b>D VALUE</b>	<b>VAR</b>
12.8t	22.2m	Check
<b>TD/PM &amp; H LIGHTING</b>	<b>PITCH / ROLL / HEAVE CATEGORY</b>	<b>HIGHEST OBSTACLE</b>
No	3	Within 5nm: Check

**NORWAY SPECIFIC INFORMATION:**

<b>YEAR KEEL LAID</b>	<b>SAFE LANDING AREA</b>	<b>Dh</b>
2007	m	22.2m

**COMMUNICATIONS:**
**TURNAROUND:**

<b>VHF FREQUENCIES</b>		<b>NDB</b>		<b>FUELING</b>	<b>STARTING</b>
Traffic: Check	Logistics: Check	Freq: 410Khz	Ident: LADT8	No	No

**LIMITATION / COMMENTS:**
**TEMPORARY LIMITATION NOTICES**

Nil

LIMITATIONS	WIND DIRECTION (T°)	WIND SPEED (Kts)
Vessel MUST contact HCA before operations on UKCS		
OSV – Offshore Support Vessel - Cat 3 bow mounted deck		
Daylight operations only (CAP437 areas only)		
HMS rev. 9B and lights fitted		
No landings - no friction test (CAP437 areas)	>30	

**COMMENTS**

Nil

**NON-COMPLIANCES:**

<b>210°</b>	<b>150°</b>
Nil	Nil

**NON-COMPLIANCES:****5:1****Misc**

Central 4m section of bow is approx 3.8m from and 4m below helideck. Table 1(T) if overflight is required.

Circle and H lights not fitted

## IMAGE LIBRARY:

### PLAN DRAWING

NOT PROVIDED BY ASSET OPERATOR

### ADDITIONAL (IF AVAILABLE)



### PORT SIDE



### STARBOARD SIDE

