



# HELIDECK INFORMATION PLATE

HELIDECK Elev <b>83 ft</b>	VAR <b>Check</b>	POSITION <b>Mobile</b>	<b>XSSP</b> <b>Siem Spearfish</b>		
HEIGHT OF INSTALLATION: HIGHEST OBSTACLE WITHIN 5NM:		<b>118 ft</b> <b>Check</b>	VHF <b>Check</b>	NDB <b>410</b> <b>C6DA7</b>	Issue Date <b>20 Aug 2022</b>
FUELLING INSTALLATION: STARTING EQUIPMENT:		<b>No</b> <b>No</b>	Operating Company  <b>Siem Offshore</b>		Issued By  <b>Helideck Certification Agency</b>
(Norway 1.25D - 'Dh' = HELIDECK D value: P/R/H Category: Max Weight: Circle & H Lights:		<b>26,1m )</b> <b>20.88m</b> <b>3</b> <b>15,0t</b> <b>Yes</b>			



Wind (T°)	Kts	Limitation /Comment
		Offshore Construction Vessel <ul style="list-style-type: none"> <li>• CAT 3 Bow Helideck - Day Ops only when vessel into wind.</li> <li>• CAT 2 Night Ops permitted when vessel heading downwind.</li> <li style="padding-left: 20px;">Note: Ideally wind should be on starboard quarter for night ops.</li> <li>• Approved friction surface - no net (NCS net at all times).</li> <li>• No DGs to be uplifted from vessel</li> <li>• HMS rev 9B + Lights fitted</li> </ul>
		<b>Non Compliance</b>
	Misc	Nil